

Clinicians are all about patient comfort and care, but they also know keeping their patients warm and KoZee (normothermic) in the perioperative environment is the difference between a positive patient outcome or a complicated recovery.

SourceMark's KoZee normothermic system is the next wave in advanced convective warming technology designed and engineered to enable clinicians to easily and safely maintain their patient's normothermia and avoid unintended hypothermia and associated negative outcomes.

The KoZee[™] Advantage

Patient Safety

- Dual layer HEPA filtration (0.2μm / 99.999% efficiency
- Ceramic heating element creates less secondary heating with less fire risk
- Sterile blanket reduces the risk of cross contamination

Clinical Effectiveness

- Low air flow combined with a more permeable blanket provides a uniform and consistent temperature
- Better heat transfer to patient

Operational Efficiency

- Comprehensive warming blanket offering for facility standardization
- · Placement, lease, or purchase option







Key Features and Benefits

Low volume air-flow system* comprised of a proprietary network of digital sensors coupled to a ceramic heating module.

- Consistent and uniform temperature distribution
- Less blanket loft
- · Low operating noise

*SourceMark's convective warming system operates at 28cfm, approximately 41% less airflow is required to maintain patient normothermia compared to other devices

Dual-layer high efficiency particulate air (HEPA) filtration system.

- First, a particulate filter layer for large particles, prolonging life and effectiveness of second layer
- Second, a 0.2µm HEPA filtration layer with 99.999% efficiency for smaller particulates
- Helps improve filtration of contaminants

KoZee[™] Ordering Information

Interoperative Warming Blankets

Upper Body Model: M21003

80in x 25in 202cm x 64cm

XL Upper Body Model: M21021

91in x 39in 230cm x 100cm

Lower Body Model: M21002

56in x 47in 142cm x 120cm

Full Body Torso Surgical

Adult

Full Body

Postoperative Warming Blankets

Pediatric Full Body

Model: M21001 56in x 47in 142cm x 120cm

Model: M21008 83in x 47in 210cm x 120cm

mlm

Model: M21004 83in x 47in 210cm x 120cm

Model: M21007 67in x 39in 170cm x 100cm



Underbody Warming Blankets

Pediatric Underbody

Model: M21005 39in x 31in 100cm x 80cm

Underhody

Model: M21028 39in x 39in 100cm x 100cm Large Pediatric Underbody

Model: M21009 63in x 31in 160cm x 80cm

Spinal Underhody

Orthopedic Underbody Model: M21010 85in x 39in 215cm x 100cm

Model: M21029 79in x 39in 200cm x 100cm

Lithotomy &

Underbody Model: M21006

Full Access

85in x 39in 215cm x 100cm













Pediatric Warming Blankets

Pediatric **Lower Body**

Model: M21012 56in x 39in 142cm x 100cm



Pediatric Long

Model: M21014 43in x 25in 110cm x 64cm



Pediatric Full Body

Model: M21007 67in x 39in 170cm x 100cm



Infant Underbody

Model: M21028 39in x 39in 100cm x 100cm



Pediatric Underbody

Model: M21005 39in x 31in 100cm x 80cm



Infant Fullbody/ Underbody

Model: M21025 47in x 31in 120cm x 80cm



Large Pediatric Underbody

Model: M21009 63in x 31in 160cm x 80cm



Warming Suit

Small Size **Warming Suit**

Model: M21301 39in x 45in 100cm x 115cm



Medium Size **Warming Suit**

Model: M21302 39in x 55in 100cm x 140cm



Large Size **Warming Suit**

Model: M21303 47in x 65in 120cm x 165cm



Extra Large Size Warming Suit

Model: M21304 47in x 76in 120cm x 192cm



Other Warming Blankets

Cath Lab

Model: M21015 71in x 29in 180cm x 74cm



Surgical Access

Model: M21016 83in x 47in 210cm x 120cm



Cardiac Access

Model: M21020 56in x 47in 142cm x 120cm



Unit & Accessories

M21506 KoZee Warming Unit M22025 KoZee Rolling Stand M22009 HFPA filter



KoZee[™] Specifications

Dimensions

H: 11in x D: 8.7in x W: 8.7in H: 28cm x D: 22cm x W: 22cm

Weight

11.9lb / 5.4kg

Relative Noise Level <52 dBA

Operating Temperature

High: $109.4^{\circ} \pm 5.4^{\circ} F (43^{\circ} \pm 3^{\circ} C)$ Med: 100.4° ± 5.4°F (38° ± 3°C) Low: $89.6^{\circ} \pm 5.4^{\circ} F (32^{\circ} \pm 3^{\circ} C)$

Device Rating

110-120 VAC, 60 Hz, 10 A 220-240 VAC, 50 Hz, 8 A

Standards

IEC 60601-1, IEC 60601-1-2, IEC 60601-1-8, IEC 80601-2-35

HEPA Filter

Filtration efficiency: 99.999% at 0.2µm

Recommended use: 500hrs



302 Innovation Drive, Suite 410 Franklin, TN 37067 • 866.528.7001 www.sourcemarkmedical.com