

For Healthcare Professionals

Quick Reference Guide - Popswab® Ampule

Preparation

Wipe the nostrils with a tissue.

POPSWAB® AMPULE



1 Shake Well

2 Reinsert

Remove ampule, flip to expose swab tip. **Use only with sleeve on ampule.**

3 Crack

At blue dot on sleeve, squeeze firmly to crack (pop) inner ampule.

4 Saturate

Squeeze sleeve repeatedly to saturate swab tip.

Application

Right nostril

1 Swab

Ensure swab rotation covers the nares including the inside tip of the nostril. **Do not extend ampule into nose beyond swab tip. Do not use on mucous membranes.**

2 Resaturate

3 Swab

Rotations per nostril: 16

4 Resaturate

Repeat Application steps in LEFT nostril using same re-saturated ampule. Discard used ampule.

Read all Drug Facts before use.

Use: Antiseptic skin preparation that helps reduce bacteria that can potentially cause skin infections.

Ingredients: Active: alcohol 62% Inactive: jojoba, water, orange oil, lauric acid, benzalkonium chloride, vitamin E

Warnings: For external use only. Flammable. Keep away from fire or flame. Do not use ■ without sleeve on ampule ■ in the eyes ■ on mucous membranes ■ if there is nasal bleeding or irritation ■ if there is an allergy to any ingredient. Stop use and ask a doctor if irritation and redness develop and persist for more than 72 hours. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: adults and children over 12 years of age (See Preparation and Application above). Children under 12 years of age: supervise use. Children under 2 years of age: ask a doctor

Store: in a cool, dry place between 15°C - 29°C (50°F - 84°F)

SKU: NNS10001, NNS10250, NNS10200B

Scan for Directions & Drug Facts



or visit nozin.com/daily